

EXTRUDED  
ALUMINIUM  
PRODUCTS



Commercial Shopfront

Louvres

Residential Suites

Battens

Custom Extrusions

Balustrade

Cutting

Geometrics

Powdercoating

Fabrication

Anodising



ALUMINIUM  
SUPPLY  
AUSTRALIA



## Our story so far

Proudly Australian owned, ASA began in Dandenong South in July 2002.

Established in partnership with Aluminium Profiles Australia (APA), the then Aluminium Extrusions Australia (AEA), and later Extrusion Profiles Australia (EPA), ASA was born out of the desire to meet the growing distribution needs of the emerging powerhouse in the aluminium extrusion market that is now known as National Aluminium (APA & EPA).

Although there have been some changes with ASA since then, the core ownership and management are the same and have developed a strong, family orientated and dedicated team.

All this growth and experience has made us who we are today, an independent, wholly Australian and family owned distributor of local and overseas extrusions to the commercial building, architectural markets, as well as many other industries across Victoria and Australia, recently celebrating our 21st birthday!

We're not going to rest though; from our beginnings in Licola Crescent, we have been fortunate to have consistently grown and with that, have had several new locations, all within walking distance to our major industry partners in the aluminium 'hub' of Dandenong South.

Our warehouse at 189 - 195 Ordish Road Dandenong South houses an impressive range and quantity of stock, made up of our commercial and architectural suites, as well as customer exclusive products.

Stocked products are available at call or made to order and can be supplied as pre-finished in anodised or powder coated.

Lead times for made to order and pre-finishing are kept to a minimum due to our buying power and close relations with our suppliers and providers.

In 2024 we proudly took on our own powder-coating facility and we're excited to be able to enhance our services even further.

Our major partners include National Aluminium (APA & EPA), Dulux, Akzo Nobel (Interpon) as well as many other industry leading providers.

Specialised cutting services are catered for with our state of the art GEAM Evolution up cut saw, able to cater to any job size.

Packaging options and delivery schedules are a breeze.

Easy access from Eastlink, we offer delivery and pick up.



## Ex-stock product range

An extensive range of mill finish and natural anodised architectural, commercial and geometric profiles are available ex-stock in our Dandenong South warehouse.

Systems and suites include Commercial Shopfront Door & Window framing, Residential Door & Window suites, Louvres, Balustrade, an extensive range of Geometric profiles and more.

We recognise availability and service are paramount to your success.

To help maintain a strong, competitive position we have developed close relationships with local and overseas extrusion mills who have solid reputations in Australia.

You will benefit from our buying capabilities for both bulk and just in time ordering.

You can rely on us for fast turnaround for pick up or delivery.

## Anodising & Powder-coating

Finishing, including matt anodising, powder coating, polishing and/or bright dipping of ex-stock or customer owned material, is a key aspect of the complete service we aim to provide you.

With over 40 years of industry experience our team are fully committed to providing quality service at competitive pricing, always keeping your needs at the forefront.

Whether you are in the market for a continuous supply of stock or are project-based, you will find what you need.

The recent acquisition of our own Powder-coat line offers you more flexibility and enhances our already well-established powder-coat capabilities through our supply chain.

For all your aluminium extrusion and finishing  
contact us today.

## A one stop shop for exclusive aluminium profile applications

Our team of specialists will work with you to develop your custom profile.

You will be guided through every stage, from drawing / specifications, 3D prototypes and samples to bulk run extrusion and finishing.

Take advantage of our depth of experience and knowledge to design your exclusive products.

With your custom profile you can integrate your designs to work with your own products or with other materials. Maximise efficiency in your manufacturing and fabrication processes to stay ahead of your competitors.

Your custom designs can also give you an edge in your market, giving you a point of difference, helping you to stand out.

Industries that benefit from our full service include; commercial & residential building, specialist architectural projects, automotive, infrastructure, engineering and more.

They all rely on the technical knowledge and sound experience we have gained over many years.

Specific technical requirements, such as performance criteria, are achievable when you design your own profile. Our production partners undergo extensive quality assurance. All are major national or international extruders with excellent reputations.

An added benefit of having your own design is buying in bulk at competitive rates, ensuring your costs are minimised, allowing you to provide significant savings to your end user, making you more attractive as a supplier.



## National Aluminium: Aluminium Profiles Australia (APA) & Extrusion Profiles Australia Pty Ltd (EPA)


Our long history with APA & EPA are at the very heart of who we are and where we've come from. The long standing relationships that we have held with everyone from the ground level up have meant that ASA is able to give you the best service, price and product available on the market today. With National Aluminium part of the picture, the sky's the limit, so come along for the journey, it's going to be fun and exciting!

## International Extrusion Mills

When sourcing your product from an overseas manufacturer is crucial, ASA have you covered.. Our key overseas extruder JS Aluminium have years of aluminium extrusion behind them and are a world leader in the market. We don't stop there though, we endeavour to research and explore all overseas markets for the best outcome for you - our biggest asset! Quality is paramount and getting extrusions imported is done quickly and economically.

## Powder Coating: Dulux & Akzo Nobel

Dulux & Akzo Nobel have been a big part of ASA's success through our partnership with APA. Now, with our very own facilities, they've both given ASA essential support ensuring we can deliver the best finished product to you. You can choose from the entire range of products on offer from Dulux and Interpon, we've got them covered.



## Australian Glass and Window Association (AGWA)

ASA have been proud members of AGWA for over 15 years.

AGWA are all about promoting awareness of windows as a major architectural component in design and consideration of energy efficiency, and ASA are committed to ensuring these standards are at the forefront of what we do.

## Windows Energy Rating Scheme - WERS

Your choice of several suites with WERS ratings are available now.

In addition to meeting the WERS rated standards, we have our own tested suites with WERS ratings.

Our R & D team are always hard at work updating and complementing our suites of available rated products.

Contact us to find out more about rated systems and suites.

ASA's design team can also work in co-operation with you to further develop your door & window products into the Australian market in line with the latest WERS ratings and specifications.

## Softech - V6 estimating system

Since 2012 the V6 / ASA database has been a work in progress. As more of our customers continue to embrace the time and money saving capabilities of V6 technology, we are constantly managing our systems and database to give you the best solutions for your business.

Talk to us today about accessing our full range of ex-stock commercial and residential framing products on the V6 system and start reaping the benefits of this powerful estimating tool.



# STANDARD PRODUCT RANGE

ALUMINIUM  
SUPPLY  
AUSTRALIA



**Greens Suite**

**76.2 x 34.9mm**  
**Single Centre Glazed**  
**Shopfront System**



**Hutton Suite**

**101.6 x 44.5mm**  
**Single Centre Glazed**  
**Shopfront System**



**Sir David Suite**

**150 x 50mm**  
**Centre Glazed**  
**Shopfront System**



**Promenade Suite**

**101.6 x 44.5 &**  
**50mm**  
**Centre D/ Glazed**  
**Shopfront System**



**Hammond Suite**

**100 & 150mm x 50mm**  
**Flush Front,**  
**Single & Double Glazed**  
**Shopfront System**



**Don Giovanni Suite**

**103.6 & 150mm x 50mm**  
**Front Single**  
**& Double Glazed**  
**Shopfront System**



**Subsills & Glazing  
Adaptors**



**Threshold, Bead  
& Base**



**Open Glazing  
Pocket Door**

**73 x 45mm**  
**(114mm Wide)**



**Closed Glazing  
Pocket Door**

**62 x 45mm**  
**(114mm Wide)**



**Double Bead Door**

**61mm Single Glazed,**  
**113mm Double Glazed**



**Bifold Door Suite  
Shopfront System**

# STANDARD PRODUCT RANGE

ALUMINIUM  
SUPPLY  
AUSTRALIA



**Awning Window**

**Commercial Awning Window System**



**Mark Anthony Suite**

**Apartment Door System**




**Residential Sections**

**Security & Flyscreen, Architrave, Colonial Bar, Picket Fence, Bottom Rail, Stacker Door, Oval Tube**



**Louvres & Battens**

**Blade, Fixed, Elliptical, Box and Adaptors, Webbed Hollows**



**Miscellaneous Sections**

**Rope Track  
Slat Wall  
Cladding Panel  
H-Bar**

**Cool Room  
Roller Blind Tube  
Cubelock  
Window Track**


**Balustrade  
Road Sign  
Scaffold Plank  
Split Baton**

**Angles  
Fluted Tube**

**Channels  
Square, Rectangular & Round Hollows**

**Round Solids**

**Flats  
'T' Sections**



**Geometric Sections**

## Anodising:

Bright Silver  
Bright Champagne, Bronze & Gold  
Bright Antique, Champagne Bronze  
Bright Black  
Matt Finishes  
Standard Bronze  
Black  
Clear  
Various Micron


## Powder Coating:

Dulux & Interpon full color range  
Warranty and non-warranty  
Joblots  
Projects

**Customer Own Material**

**Competitive Pricing**

**Fast turnaround**



## Commercial Framing System

### Centre Glazed

**76.2 x 34.90mm**

A versatile suite often preferred by architects for its wide range of applications and design flexibility.

Also a popular choice with builders for its ease of use and adaptable configurations.

The Centre Glazed Systems meet all appropriate Australian Standards for aluminium products.

- **Centre Glazed system to suit up to 10.4mm glass thickness**
- **76.2mm (3") width x 34.9mm (1" 3/8" depth**
- **Suitable for commercial shop front and domestic applications**
- **Straight cut assembly – mechanical fix at joints**
- **No miter cutting required**
- **Suitable for Open Pocket and Closed Pocket door systems**
- **Awning window applications**
- **Readily available in mill and natural anodised**



## Commercial Framing System

Centre Glazed


76.2 x 34.90mm




GS001 Main Frame 76.2mm




GS002 Sill Bead to suit GS003




GS003 Sill 76.20mm



GS005 Frame Flush Filler



GS006 Fixing Adaptor



GS007 Corner Post



GS008 Pocket Filler




GS009 Door Stop 35mm



GS10 Awning Sash Stop




GS11 Door Stop 45mm



GS12 Subhead




GS13 Threshold



GS14 Subsill



GS15 Glazing Adaptor  
MKII



SF050 76mm Return Adaptor  
( ONLY SUITS GS007 )


## Commercial Framing System

### Centre Glazed

#### **101.60 x 44.50mm**

A versatile suite often preferred by architects for its wide range of applications and design flexibility. Also a popular choice with builders for its ease of use and adaptable configurations. The Centre Glazed Systems meet all appropriate Standards for aluminium products.

- **Centre Glazed system to suit up to 10.4mm glass thickness**
- **101.6mm (4") width x 44.5mm (1" 3/4) depth**
- **Suitable for commercial shop front and domestic applications**
- **Straight cut assembly – mechanical fix at joints**
- **No mitre cutting required**
- **Suitable for Open Pocket and Closed Pocket door systems**
- **Awning window applications**
- **Readily available in mill and natural anodised**



## Commercial Framing System

Centre Glazed

**101.60 x 44.50mm**



**SF001 Main Frame Heavy**




**SF031 Main Frame Medium**



**SF002 Main Frame Light**



**SF038 1" Frame  
101.60 x 25.40mm**



**SF070 Plain Frame  
101.60 x 50mm  
suits SF011, DG002, DG202**



**SF003 Sill - Heavy**



**SF004 Sill - Light**




**SF007 Sill Bead**




**SF093 Sloping Sill Bead**




**SF008 Door Stop 45mm**



**SF009 Door Stop 35mm**



**SF010 Pocket Filler Flat**



**SF014 Awning Sash Stop**



**SF042 Plant-On Door Stop**

**SF011 Standard Frame Filler**



**DG002 Light Frame Filler**



**DG202 Heavy Duty  
Frame Filler**



**SF005 Adaptor Heavy**



**SF084 Adaptor  
Heavy MKII**




**SF006 Adaptor Standard**


## Commercial Framing System

### Centre Glazed

**101.60 x 44.50mm**



**SF036 Return Adaptor**



**SF015 Corner Post**



**SF030 Heavy Duty  
Self Mating Mullion**




**SF057 Standard  
Self Mating Mullion**




**SF037 Hollow Transom**




**SF039 C.O.C. Transom**




**SF040 C.O.C. Transom Cover**




**SF063 Subhead**




**SF026 Subsill  
Standard Width Light**




**DG011 Subsill  
Standard Width**




**DG014 Subsill  
Ext Width 23mm**




**DG017 Subsill  
Ext Width 35mm**



**HS014 Special Subsill  
Ext Width 23mm**




**HS017 Special Subsill  
Ext Width 35mm**



**SF052 Fixing Adaptor**




**SF053 Fixing Adaptor II**



**SF083 Side Reveal Adaptor**



**SF029 Threshold 101.6 x 20**



**SF051 Threshold 100 x 44**



**SF058 Threshold 100 x 12**

## Commercial Framing System

Centre Glazed

**101.60 x 44.50mm**



SF086 Wheelchair  
Threshold MKII



SF094 Window Track



SF095 4" Frame Joiner



SF081 Door Drip Fin




SF098 Door Drip Fin



SF099 2 Part Subhead  
Base 110x50



SF100 2 Part Subhead  
Bead 50mm



DG013 45mm  
Mullion/Transom

## Commercial Framing System


### Centre Glazed

#### **150.00 x 50.00mm**

A versatile suite often preferred by architects for its wide range of applications and design flexibility. Also a popular choice with builders for its ease of use and adaptable configurations.

The Centre Glazed Systems meet all appropriate Australian Standards for aluminium products.


- **Centre Glazed system to suit up to 10.4mm glass thickness**
- **150mm (6") width x 50mm (2") depth**
- **Suitable for commercial shop front and domestic applications**
- **Straight cut assembly – mechanical fix at joints**
- **No miter cutting required**
- **Suitable for Open Pocket and Closed Pocket door systems**
- **Readily available in mill and natural anodised**




## Commercial Framing System

Centre Glazed

**150.00 x 50.00mm**




**SF601 Main Frame**  
150mm x 50mm



**SF610 Plain Frame**  
150mm x 50mm




**SF602 Sill**  
150mm x 50mm



**SF603 Sill Bead**



**SF605 Adaptor**  
to suit SF 601



**SF606 Frame Filler**  
suits HS601



**SF604 Mullion**  
Self Mating



**SF609 Mullion**  
Self Mating



**SF010 Pocket Filler (Flat)**



**SF042 Plant On Door Stop**



**SF607 Subhead**  
to suit 150mm x 50mm Frame



**SF608 Subsill**  
15mm Setback x 40mm leg  
to suit 150mm x 50mm Frame



**SF612 Wheelchair**  
Threshold 150mm Mk III

# PROMENADE SUITE

## 44 & 50mm

ALUMINIUM  
SUPPLY  
AUSTRALIA




### Commercial Framing System

#### Centre Double Glazed

#### 101.60 x 44.50 & 50mm

A versatile suite often preferred by architects for its wide range of applications and design flexibility. Also a popular choice with builders for its ease of use and adaptable configurations. The Centre Glazed Systems meet all appropriate Australian Standards for aluminium products.

- **Double Glazed to suit up to 28mm glass thickness**
- **101.6mm (4") width x 44.5mm depth**
- **101.6mm (4") width x 50.00mm depth**
- **Suitable for commercial shop front and domestic applications**
- **Straight cut assembly – mechanical fix at joints**
- **No mitre cutting required**
- **Suitable for Open Pocket and Closed Pocket door systems**
- **Awning window applications**
- **Readily available in mill and natural anodised**



# PROMENADE SUITE

## 44 & 50mm

ALUMINIUM  
SUPPLY  
AUSTRALIA



### Commercial Framing System Centre Double Glazed 101.60 x 44.50mm



SFD01 D/Glazed Frame




SFD03 D/Glazed Sill




SF052 Fixing Adaptor  
mates with SFD01, SFD03



SFD04 D/Glazed Sill Bead




SF083 Side Reveal Adaptor  
mates with SFD01, SFD03



SFD05 D/Glazed Adaptor




SF006 S/Glazed  
Adaptor - Std



SF084 S/Glazed  
Adaptor Heavy Mk II



SFD06 D/Glazed Awning  
Sash Stop



SFD07 D/Glazed 45mm  
Door Stop




SFD02 D/Glazed  
Pocket Filler



SF053 Fixing Adaptor II



SF029 Threshold  
101.60 x 20




SF051 Threshold  
100 x 44 Door Stop




SF058 Threshold  
100 x 12




SF086 Wheelchair  
Threshold Mk II




SF026 Subsill  
Std Width Light




DG011 Subsill  
Std Width




DG014 Subsill  
Ext Width 23mm




DG017 Subsill  
Ext Width 35mm




HS014 Special Subsill  
Ext Width 23mm



HS017 Special Subsill  
Ext Width 35mm



SF063 Subhead



SF099 Part Subhead  
Base 110 x 50



SF100 2 Part Subhead  
Bead 50mm



SF036 Return Adaptor  
30mm Leg


# PROMENADE SUITE

## 44 & 50mm

ALUMINIUM  
SUPPLY  
AUSTRALIA



### Commercial Framing System Centre Double Glazed 101.60 x 50.00mm



**SFD51**  
D/Glazed Frame



**SFD52**  
D/Glazed Sill




**SFD53**  
D/Glazed Sill Bead




**SFD54**  
D/Glazed Adaptor




**SF006 S/Glazed  
Adaptor - Std**



**SFD06 D/Glazed Awning  
Sash Stop**



**SFD07 D/Glazed  
45mm Door Stop**




**SFD02 D/Glazed  
Pocket Filler**



**SF053 Fixing Adaptor II**



**SF029 Threshold  
101.60 x 20**



**SF051 Threshold  
100 x 44 Door Stop**




**SF058 Threshold  
100 x 12**




**SF086 Wheelchair  
Threshold Mk II**




**SF026 Subsill  
Std Width Light**




**DG011 Subsill  
Std Width**




**DG014 Subsill  
Ext Width 23mm**




**DG017 Subsill  
Ext Width 35mm**




**HS014 Special Subsill  
Ext Width 23mm**



**HS017 Special Subsill  
Ext Width 35mm**




**SF063 Subhead**




**SF099 2 Part Subhead  
Base 110 x 50**



**SF100 2 Part Subhead  
Bead 50mm**



**SF036 Return Adaptor  
30mm Leg**



## Commercial Framing System

### Flush Front Single Glazed


#### 100.00 x 50.00mm

This system is suitable for single glazed applications giving an alternative design using front glazing. The Front Glazed Systems are a popular choice with architects and builders for their aesthetic appeal and versatility. The 100.0mm suite is simple to use with a range of applications. Its design flexibility and adaptable configurations offer an alternative to the Centre Glazed Systems. The Front Glazed Systems meet all appropriate Australian Standards for aluminium products.

- **Flush-Front to suit glass up to 10.4mm**
- **Suitable for commercial and shop front application**
- **Straight cut assembly – mechanical fix at joints**
- **No mitre cutting required Suitable for Open Pocket and Closed Pocket door systems**
- **Readily available in mill and natural anodised**




**Commercial Framing System**  
**Flush Front Single Glazed**  
**100.00 x 50.00mm**




HS001 F/Front Glazed  
100 Head/Jamb




HS002 Split Mullion (Male)




HS003 Split Mullion (Female)




HS004 H/Duty Split Mullion  
(Male)




HS005 Sill/Transom Bead




HS006 Sill/Transom  
suits HS005 bead




HS007 Mullion



HS008 Sill (Ext Glazed)  
suits HS010 bead



HS010 Sill Bead  
(Ext Glazed)




HS011 Cover Transom  
suits HS009 cover bead




HS009 Cover Transom Bead




HS012 Flat Filler  
Suits HS006 HS007 HS 008



HS014 Special Subsill  
Ext width 23mm



HS017 Special Subsill  
Ext width 35mm




HS018 Blind Mullion  
(Male)



HS019 Blind Mullion  
(Female)



HS020 H/Duty Mullion  
(Male)



HS021 H/Duty Mullion  
(Female)




HS022 Flat Pocket Filler



HS023 Corner Stake




HS024 H/Duty Blind  
Mullion (Male)




HS025 H/Duty Blind  
Mullion (Female)



HS026 Awning Sash Stop



HS028 45mm Door Stop



SF011 Std Frame Filler  
Suits HS 001

## Commercial Framing System

### Flush Front Double Glazed


#### 100.00 x 50.00mm

This system is suitable for double glazed applications giving an alternative design using front glazing. The Front Glazed Systems are a popular choice with architects and builders for their aesthetic appeal and versatility. The 100.0mm suite is simple to use with a range of applications. Its design flexibility and adaptable configurations offer an alternative to the Centre Glazed Systems. The Front Glazed Systems meet all appropriate Australian Standards for aluminium products.

- **Flush-Front to suit glass up to 28mm**
- **100mm width x 50mm depth**
- **Suitable for commercial and shop front application**
- **Straight cut assembly – mechanical fix at joints**
- **No mitre cutting required**
- **Suitable for Open Pocket and Closed Pocket door systems**
- **Readily available in mill and natural anodised**



**Commercial Framing System**  
**Flush Front Double Glazed**  
**100.00 x 50.00mm**



HDG01 D/Glazed  
100 Head/Jamb



HDG02 D/Glazed Split  
Mullion (Male)




HDG03 D/Glazed Split  
Mullion (Female)




HDG04 D/Glazed  
Mullion




HDG05 D/Glazed Sill  
suits HS010 bead



HDG06 D/Glazed  
Cover Transom  
Suits HS009 Bead



HDG07 D/Glazed Split  
Blind Mullion (Male)



HDG08 D/Glazed Split  
Blind Mullion (Female)



HDG09 Door Stop 45mm




HS012 Flat Filler



HS027 H/Duty Flat Filler  
suits HDG04 + HDG05




SF002 D/Glazed Pocket Filler




SF011 Std Frame Filler




DG002 Light Frame Filler




DG202 H/Duty Frame Filler




SF026 Subsill  
Std Width Light




DG011 Subsill  
Std Width




DG014 Subsill  
Ext Width 23mm




DG017 Subsill  
Ext Width 35mm




HS014 Special Subsill  
Ext Width 23mm




HS017 Special Subsill  
Ext Width 35mm




SF063 Subhead




SF099 2 Part Subhead  
Base 110x50



SF100  
2 Part Subhead  
Bead 50mm



HS009  
Cover  
Transom Bead



HS100  
Sill Bead  
(Ext Glazed)


## Commercial Framing System

### Flush Front Single Glazed

**150.00 x 50.00mm**

This system is suitable for single glazed applications giving an alternative design using front glazing. The Front Glazed Systems are a popular choice with architects and builders for their aesthetic appeal and versatility. The 150.0mm suite is simple to use with a range of applications. Its design flexibility and adaptable configurations offer an alternative to the Centre Glazed Systems. The Front Glazed Systems meet all appropriate Australian Standards for aluminium products.


- **Flush-Front to suit glass up to 10.4mm**
- **Suitable for commercial and shop front application**
- **Straight cut assembly – mechanical fix at joints**
- **No mitre cutting required Suitable for Open Pocket and Closed Pocket door systems**
- **Readily available in mill and natural anodised**



## Commercial Framing System

### Flush Front Single Glazed


150.00 x 50.00mm




HS601 Flush Front Glazed  
150 Head/Jamb




HS602 Split Mullion (Male)




HS603 Split Mullion (Female)




HS604 Blind Mullion




HS605 Sill/Transom Bead  
suits HS606



HS606 Sill/Transom  
suits HS605




HS607 Mullion




HS608 Sill (Ext Glazed)  
suits HS010 bead




HS609 Blind Split Mullion  
(Male)  
suits HS613 splice




HS610 Blind Split Mullion  
(Female)  
suits HS613 splice



HS611 Cover Transom  
suits HS009 bead




HS612 Flat Filler  
to suit HS607 Mullion




HS613 Splice  
to suit HS609 + HS610  
Assembled



HS022 Flat Pocket Filler



HS028 45mm Door Stop  
(Female)



SF606 Frame Filler  
Suits HS 601



SF011 Standard Frame Filler  
Suits HS 606 + HS 608



SF607 Subhead  
to suit 150mm x 50mm Frame

## Commercial Framing System

### Flush Front Double Glazed


#### 150.00 x 50.00mm

This system is suitable for double glazed applications giving an alternative design using front glazing. The Front Glazed Systems are a popular choice with architects and builders for their aesthetic appeal and versatility. The 150.0mm suite is simple to use with a range of applications. Its design flexibility and adaptable configurations offer an alternative to the Centre Glazed Systems. The Front Glazed Systems meet all appropriate Australian Standards for aluminium products.


- **Flush-Front to suit glass up to 28mm**
- **150mm width x 50mm depth**
- **Suitable for commercial and shop front application**
- **Straight cut assembly – mechanical fix at joints**
- **No mitre cutting required**
- **Suitable for Open Pocket and Closed Pocket door systems**
- **Readily available in mill and natural anodised**




**Commercial Framing System**  
**Flush Front Double Glazed**  
**150.00 x 50.00mm**




HDG50 D/Glazed  
150 Head/Jamb




HDG51 D/Glazed Split Mullion  
(Male)




HDG52 D/Glazed Split Mullion  
(Female)




HDG53 Internal Glazed  
Sill/Transom Bead  
Suits HDG54



HDG54 Internal Glazed  
Sill/Transom  
suits HDG53 bead



HDG55 External Glazed Sill  
suits HS010 bead



HDG56 Cover Transom



HDG57 D/Glazed Split  
Blind Mullion (Male)



HDG58 D/Glazed Split  
Blind Mullion (Female)




HDG59 Mullion Splice  
Suits HDG57 + HDG58



HDG60 Box Cover Transom  
suits HS009 bead




HDG09 Door Stop 45mm



HS009 Cover Transom Bead




HS010 Sill Bead (External Glazed)  
Suits HDG05, HS008, HS608,  
HDG55



SFD02 D/Glazed Pocket Filler



DG202 H/Duty Frame Filler




SF026 Subsill  
Std Width Light




DG011 Subsill  
Std Width




DG014 Subsill  
Ext Width 23mm




DG017 Subsill  
Ext Width 35mm




HS014 Special Subsill  
Ext Width 23mm



HS017 Special Subsill  
Ext Width 35mm



SF063 Subhead



SF099 2 Part Subhead  
Base 110x50



SF100 2 Part Subhead  
Bead 50mm

## Commercial Framing System

### Front Single Glazed

#### 103.60 x 50.00mm


This system is suitable for single glazed applications giving an alternative design using front glazing.

This Front Glazed System is a popular choice with architects and builders for its aesthetic appeal and versatility.

The 103.6mm suite is simple to use with a range of applications. Its design flexibility and adaptable configurations offer an alternative to the Centre Glazed Systems.

The Front Glazed Systems meet all appropriate Australian Standards for aluminium products.


- **Tested to AS2047 - WERS rated, complies with a large number of climatic regions.**
- **Front Glazed to suit single and double glazed glass, Glass thickness 6 to 28mm**
- **103.6mm width x 50mm depth Shop front application**
- **Straight cut assembly – mechanical fix at joints**
- **No mitre cutting required**
- **Suitable for Open Pocket and Closed Pocket door systems**
- **Readily available in mill and natural anodised**




## Commercial Framing System

### Front Single Glazed


103.60 x 50.00mm




DG011 Subsill Slotted  
Std 5mm Setback




SF026 Subsill Slotted  
6mm Setback x 25.4 Leg




DG014 Subsill Slotted  
23mm Setback




DG017 S/sill Slotted Ext'd  
35mm S/back x 37.5 Leg




HS014 Special S/Sill Ext'd  
23mm Setback x 70 Leg




HS017 Special S/Sill Ext'd  
35mm Setback x 70 Leg




DG001 103.6mm Main Frame



DG012 103.6mm Frame/  
Centre Pocket Jamb



DG025 Split Mullion Door  
Jamb



DG002 Light Frame Filler  
suits 101.6 frames




SF011 Standard Frame Filler  
suits 101.6 frames



DG202 Heavy Duty Frame  
Filler



DG019 103.6mm Box Frame




DG028 103.6mm Setback  
Split Mullion - Male



DG029 103.6mm Setback  
Split Mullion - Female



DG009 103.6mm Blind Split  
Mullion - Male (Centred)



DG010 103.6mm Blind Split  
Mullion - Female (Centred)



DG027 Self Mating Mullion




DG015 Heavy Duty Split  
Mullion - Male



DG016 Heavy Duty Split  
Mullion - Female




HS020 100mm Heavy Duty  
Split Mullion - Male




HS021 100mm Heavy Duty  
Split Mullion - Female



DG018 101mm Frame - Plain



SF040 C.O.C. Cover Plate




DG005 Back Adaptor  
16mm Pocket


## Commercial Framing System

### Front Single Glazed


103.60 x 50.00mm



DG008 Snap Infill Cover




DG007 Snap Cover




DG023 Single Glaze End Cap



DG026 Single Glazed Sash Stop



SF104 Chain Window Adaptor  
47.5 x 50.9




SF012 Awning Sash  
53 X 36 suits SF041 stake




SF013 Awning Sash Bead  
suits SF012, HDG10, SF089



SF041 Corner Stake  
suits SF012, SF089



DG013 45mm Mullion/  
Transom




DG020 103 Frame  
Corner Stake



DG021 Double Glaze Frame  
Adaptor



SF042 Plant On Door Stop  
21 x 13



SF008 Door Stop 45mm

ALUMINIUM  
SUPPLY  
AUSTRALIA




## Commercial Framing System - WERS Certified

### Front Double Glazed

#### 103.60 x 50.00mm

This system is suitable for single glazed applications giving an alternative design using front glazing. This Front Glazed System is a popular choice with architects and builders for its aesthetic appeal and versatility. The 103.6mm suite is simple to use with a range of applications. Its design flexibility and adaptable configurations offer an alternative to the Centre Glazed Systems. The Front Glazed Systems meet all appropriate Australian Standards for aluminium products.

- **Tested to AS2047 - WERS rated, complies with a large number of climatic regions.**
- **Front Glazed to suit single and double glazed glass. Glass thickness 6 to 28mm**
- **103.6mm width x 50mm depth Shop front application**
- **Straight cut assembly – mechanical fix at joints**
- **No mitre cutting required**
- **Suitable for Open Pocket and Closed Pocket door systems**
- **Readily available in mill and natural anodised**



**Commercial Framing System - WERS Certified**  
**Front Double Glazed**  
**103.60 x 50.00mm**

**Commercial Certified Window ID ASA002**



| Window ID         | Glazing                      | Total Window - AFRC |             |             |             |
|-------------------|------------------------------|---------------------|-------------|-------------|-------------|
|                   |                              | Uw                  | SHGC        | Tvw         | Air Inf     |
| <b>ASA-002-01</b> | <b>6 SP GY/12 AR/6</b>       | <b>3.70</b>         | <b>0.21</b> | <b>0.07</b> | <b>5.00</b> |
| <b>ASA-002-02</b> | <b>6 SP GY/12 AR/6 ET</b>    | <b>3.00</b>         | <b>0.16</b> | <b>0.06</b> | <b>5.00</b> |
| <b>ASA-002-03</b> | <b>6 SP GY/12 AR/6 EV</b>    | <b>3.10</b>         | <b>0.16</b> | <b>0.05</b> | <b>5.00</b> |
| <b>ASA-002-04</b> | <b>6 EC AD GY/12 AR/6</b>    | <b>3.10</b>         | <b>0.32</b> | <b>0.26</b> | <b>5.00</b> |
| <b>ASA-002-05</b> | <b>6 EV/12 AR/6</b>          | <b>3.10</b>         | <b>0.53</b> | <b>0.55</b> | <b>5.00</b> |
| <b>ASA-002-06</b> | <b>6 SN/12 AR/6</b>          | <b>3.20</b>         | <b>0.48</b> | <b>0.54</b> | <b>5.00</b> |
| <b>ASA-002-07</b> | <b>6 EC AD GY/12/AR/6 EV</b> | <b>2.90</b>         | <b>0.29</b> | <b>0.21</b> | <b>5.00</b> |
| <b>ASA-002-08</b> | <b>6 EC AD GY/12 AR/6 ET</b> | <b>2.90</b>         | <b>0.30</b> | <b>0.24</b> | <b>5.00</b> |
| <b>ASA-002-09</b> | <b>6 EV/12 AR/6 ET</b>       | <b>2.90</b>         | <b>0.51</b> | <b>0.52</b> | <b>5.00</b> |




**Residential Certified Window ID ASA001**

| Window ID         | Glazing                  | Cooling Stars | Heating Stars | Cool%      | Heat%      | Uw          | SHGCw       | Tvw         | Air Inf     |
|-------------------|--------------------------|---------------|---------------|------------|------------|-------------|-------------|-------------|-------------|
| <b>ASA-001-01</b> | <b>6SpGy/12Ar/6Clr</b>   | <b>★★★★★</b>  | <b>★★★</b>    | <b>65%</b> | <b>22%</b> | <b>3.90</b> | <b>0.20</b> | <b>0.07</b> | <b>5.00</b> |
| <b>ASA-001-02</b> | <b>6/SpGy/12Ar/6ET</b>   | <b>★★★★★</b>  | <b>★★★☆</b>   | <b>73%</b> | <b>26%</b> | <b>3.20</b> | <b>0.14</b> | <b>0.06</b> | <b>5.00</b> |
| <b>ASA-001-03</b> | <b>6sPgY/12aR/6ev</b>    | <b>★★★★★</b>  | <b>★★★☆</b>   | <b>72%</b> | <b>25%</b> | <b>3.30</b> | <b>0.15</b> | <b>0.05</b> | <b>5.00</b> |
| <b>ASA-001-04</b> | <b>6EcAdGy/12Ar/6Clr</b> | <b>★★★★★</b>  | <b>★★★☆</b>   | <b>62%</b> | <b>35%</b> | <b>3.30</b> | <b>0.30</b> | <b>0.25</b> | <b>5.00</b> |
| <b>ASA-001-05</b> | <b>6EV/12Ar/6Clr</b>     | <b>★★★★★</b>  | <b>★★★★☆</b>  | <b>48%</b> | <b>46%</b> | <b>3.30</b> | <b>0.50</b> | <b>0.53</b> | <b>5.00</b> |
| <b>ASA-001-06</b> | <b>6Sn/12Ar/6Clr</b>     | <b>★★★★★</b>  | <b>★★★★☆</b>  | <b>50%</b> | <b>43%</b> | <b>3.40</b> | <b>0.46</b> | <b>0.52</b> | <b>5.00</b> |
| <b>ASA-001-07</b> | <b>6EcAdGy/12Ar/6EV</b>  | <b>★★★★★</b>  | <b>★★★☆</b>   | <b>65%</b> | <b>36%</b> | <b>3.10</b> | <b>0.27</b> | <b>0.20</b> | <b>5.00</b> |
| <b>ASA-001-08</b> | <b>6EcAdGy/12Ar/6ET</b>  | <b>★★★★★</b>  | <b>★★★☆</b>   | <b>64%</b> | <b>36%</b> | <b>3.10</b> | <b>0.28</b> | <b>0.23</b> | <b>5.00</b> |
| <b>ASA-001-09</b> | <b>6Ev/12Ar/6ET</b>      | <b>★★★★★</b>  | <b>★★★★☆</b>  | <b>50%</b> | <b>47%</b> | <b>3.10</b> | <b>0.48</b> | <b>0.49</b> | <b>5.00</b> |


## Commercial Framing System - WERS Certified

### Front Double Glazed


103.60 x 50.00mm




DG011 Subsill Slotted  
5.5mm Setback x 25.4 Leg




SF026 Subsill Slotted  
6mm Setback x 25.4 Leg




DG014 Subsill Slotted Extended  
23mm Setback x 37.5 Leg




DG017 Subsill Extended  
35mm Setback




HS014 Special Subsill Extended  
23mm Setback x 70 Leg




HS017 Special Subsill Extended  
35mm Setback x 70 Leg




DG203 103.6mm Double Glazed  
Head/Jamb




DG202 Heavy Duty Frame  
Filler




DG200 103.6mm Double Glazed  
Box Frame



DG208 Double Glazed  
Split Mullion




DG205 Double Glazed  
Door Jamb



DG206 Double Glazed M/Mull  
Door Jamb mates with DG029



DG029 103.6mm Setback  
Split Mullion - Female




DG016 Heavy Duty Split  
Mullion - Female




DG027 Self Mating Mullion



SF042 Plant on Door Stop  
21 x 13




SF008 Door Stop 45mm




DG007 Snap Cover




DG006 Back Adaptor  
35mm Pocket




DG201 Double Glazed  
Snap Infill Cover




DG024 Double Glazed  
End Cap




DG207 Double Glazed  
Sash Stop




SF104 Chain Winder  
Adaptor 47.5 x 50.9



SF012 Awning Sash  
53 x 36



SF061 Double Glazed  
Sash Bead



SF041 Corner Stake

ALUMINIUM  
SUPPLY  
AUSTRALIA




## Commercial Framing System

### Front Single Glazed

**150.00 x 50.00mm**

In line with the 103.6mm System, this suite is suitable for single glazed applications giving an alternative design using front glazing. This Front Glazed System is a popular choice with architects and builders for its aesthetic appeal, added width, versatility and simplicity to use with a range of applications. Its design flexibility and adaptable configurations offer an alternative to the Centre Glazed Systems. The Front Glazed Systems meet all appropriate Australian Standards for aluminium products.


- **Front Glazed to suit single & double glazed glass**
- **150mm width x 50mm depth Shop front application. Glass 6 to 28mm**
- **Straight cut assembly – mechanical fix at joints**
- **No mitre cutting required**
- **Suitable for Open Pocket and Closed Pocket door systems**
- **Readily available in mill and natural anodised**



## Commercial Framing System

Front Single Glazed


**150.00 x 50.00mm**




**SF608 150mm Subsill  
15mm Setback x 40mm Leg**




**DG601 150mm Main Frame**




**SF606 Frame Filler Plain**



**DG609 150mm Blind Split  
Mullion - Male**




**DG610 150mm Blind Split  
Mullion - Female**



**DG005 Back Adaptor  
16mm Pocket**



**DG008 Snap Infill Cover**



**DG007 Snap Cover**



**DG023 Single Glaze End Cap**

# COMMERCIAL SUBSILLS & GLAZING ADAPTORS


ALUMINIUM  
SUPPLY  
AUSTRALIA



## ASA Commercial Subsills

We offer a wide range of subsills to suit every type of window system offered within our range. Many offsets are available, as well as the choice of wet sealing or back bulb-sealing. All our subsills are supplied slotted, ready to set and assemble your windows.

- **Suitable for use with 101.6mm Centre Glazed system, Front Glazed 103.6mm system & Flush Front 100mm system**
- **(SF608 to suit 150mm systems)**
- **Supplied slotted**
- **Readily available in mill and natural anodised**



## ASA Glazing, Return & Fixing Adaptors

Suite 101.6 & 103.6mm Frames. Adaptors to suit a large range of uses and applications, from standard glazing adaptors to front and side fixing adaptors. Available ex-stock.


- **Glazing adaptors to suit Centre Glazed systems and Front Glazed system**
- **Fixing adaptors to suit Centre Glazed systems and Front Glazed system**
- **Readily available in mill and natural anodised**

# COMMERCIAL SUBSILLS & GLAZING ADAPTORS

ALUMINIUM  
SUPPLY  
AUSTRALIA



## Subsills




**SF026 Subsill**  
Std Width (Light)  
25.4 Leg 6mm Setback

**DG011 Subsill Std Width**  
25.4 Leg 5mm Setback

**DG014 Subsill**  
Ext Width 23mm  
37.5 Leg 23mm Setback

**DG017 Subsill**  
Ext Width 35mm  
37.5 Leg 35mm Setback


**HS014 Special Subsill**  
Ext Width 23mm  
70 Leg 23mm Setback



**HS017 Special Subsill**  
Ext Width 35mm  
70 Leg 35mm Setback

**SF608 Subsill**  
to suit 150 x 50 frame  
40 Leg 15mm Setback

## Glazing Adaptors




**SF005 Adaptor (Heavy)**

**SF006 Adaptor (Light)**

**SF036 Return Adaptor**

**SF050 76mm Return Adaptor**

**SF052 Fixing Adaptor**



**SF053 Fixing Adaptor II**

**SF083 Side Reveal Adaptor**

**SF084 Adaptor Heavy Mk II**

# COMMERCIAL THRESHOLD, BEAD & BASE

ALUMINIUM  
SUPPLY  
AUSTRALIA



## ASA Commercial Framing Thresholds


We offer a wide range of thresholds to suit every type of door system offered within our range. Standard, Wheelchair and ease of access thresholds available ex-stock.

- **To suit 101.6mm Centre Glazed systems, Front Glazed 103.6mm systems & Flush-Front Glazed 100mm systems**
- **SF612 to suit 150mm systems**
- **Readily available in mill and natural anodised**

## ASA Commercial Bead & Base System

Our systems compliment Centre, Front and Flush-front Glazed systems in a large variety of glass sizes. Available ex-stock.

- **Fixable base with snap-in bead to suit 10.4mm, 16mm, & 18mm glass thickness**
- **Readily available in mill and natural anodised**



# COMMERCIAL THRESHOLD, BEAD & BASE


ALUMINIUM  
SUPPLY  
AUSTRALIA



## Thresholds



SF029 Threshold  
101.6 x 20



SF051 Threshold  
100 x 44



SF058 Threshold  
100 x 12



SF086 Wheelchair Threshold  
Mk III




SF012 Wheelchair Threshold  
150mm Mk II

## Bead & Base



SF034 51mm Glazing Frame




SF035 51mm Glazing Bead



SF054 30mm Glazing Frame



SF055 30mm Glazing Bead



SF082 25mm Glazing Frame



SF061 D/Glazed Bead  
to suit SF 082

# OPEN POCKET DOOR SYSTEM

ALUMINIUM  
SUPPLY  
AUSTRALIA



A versatile suite often preferred by architects for its wide range of applications and design flexibility. Also a popular choice with builders for its ease of use and adaptable configurations. The Centre Glazed Systems meet all appropriate Australian Standards for aluminium products.

- **The Open Pocket Door is ideal for glazing applications from 6 to 10.4m.**
- **The easy spiggot assembly and beaded rails make the Open Pocket and Closed Pocket Door systems adaptable to front & flush glazing systems.**
- **Doors can be used in hinged, pivoted or sliding applications**
- **6 to 10.4mm Glass thickness**
- **Straight cut assembly – mechanical fix at joints – spiggot assembly**
- **No mitre cutting required Suitable for both dry and wet glazing**
- **Available in 73mm width as standard**
- **Suits Centre Glazed 101.6mm, Front Glazed 103.6mm & Flush-front Glazed 100mm systems**
- **Readily available in mill and natural anodised**




# OPEN POCKET DOOR SYSTEM


ALUMINIUM  
SUPPLY  
AUSTRALIA




SF043 O/P Lock Stile



SF044 O/P Hinge Stile




SF045 O/P Wiper Stile



SF046 O/P Pivot Stile




SF047 O/P Cover Meeting Stile



SF091 O/P Wide Lock Stile



SF092 O/P Wide Hinge Stile



SF056 O/P Door Spiggot



SF016 Door Top Rail




SF017 Door Bottom Rail



SF049 Bottom Rail (Light)



SF018 Door Rail Bead




SF019 Mid Rail 45mm



SF020 Mid Rail 123mm



SF067 Meeting Stile Adaptor




SF064 93 x 60 Top Track



SF065 Top Track Cover/Pelmet



SF087 H/Duty Track Cover/Pelmet




SF088 114 x 70 H/Duty Track



SF066 Bottom Guide




RES032 Draft Strip  
15.9 x 6.5



SF081 Door Drip Fin



SF098 Door Drip Fin



SF103 Door Bottom Seal Holder  
37 x 6.5


# CLOSED POCKET DOOR SYSTEM

ALUMINIUM  
SUPPLY  
AUSTRALIA




A versatile suite often preferred by architects for its wide range of applications and design flexibility. Also a popular choice with builders for its ease of use and adaptable configurations. The Centre Glazed Systems meet all appropriate Australian Standards for aluminium products.

- **The Closed Pocket Door is ideal for glazing applications from 6 to 10.40mm.**
- **The easy spiggot assembly and beaded rails make the Open Pocket and Closed Pocket Door systems adaptable to front & flush glazing systems.**
- **Doors can be used in hinged, pivoted or sliding applications**
- **Doors can be hinged, pivoted or sliding**
- **6 to 10.40mm Glass thickness**
- **Straight cut assembly – mechanical fix at joints – spiggot assembly**
- **No mitre cutting required**
- **Suitable for both dry and wet glazing**
- **Available in 62mm and 114mm widths as standard**
- **Suits Centre Glazed 101.6mm, Front Glazed 103.6mm & Flush-front Glazed 100mm systems**
- **Readily available in mill and natural anodised**




# CLOSED POCKET DOOR SYSTEM


ALUMINIUM  
SUPPLY  
AUSTRALIA



SF021 C/P  
Lock Stile



SF022 C/P  
Hinge Stile




SF024 C/P  
Wiper Stile




SF025 C/P  
Cover Meeting Stile



SF079  
Bifold Door Stile



SF028 C/P  
Wide Lock Stile



SF028 C/P  
Wide Lock Stile




SF085 C/P  
Wide Hinge Stile




SF096 C/P  
Wide Wiper Stile



SF062 C/P  
Door Spiggot




SF103 Door Bottom  
Seal Holder 37 x 6.5



SF016 Door Top Rail




SF017 Door Bottom Rail



SF049 Bottom Rail  
(Light)



SF018 Door Rail  
Bead




SF019 Mid Rail  
45mm



SF020 Mid Rail  
123mm




SF067 Meeting Stile  
Adaptor



SF064 93 x 60  
Top Track



SF065 Top Track  
Cover/Pelmet



SF066 Bottom Guide



SF087 H/Duty Track  
Cover/Pelmet



SF088 114 x 70  
H/Duty Track



RES032 Draft Strip  
15.9 x 6.5



SF081 Door Drip Fin



SF098 Door Drip Fin

# DOUBLE BEADED DOOR SYSTEM

ALUMINIUM  
SUPPLY  
AUSTRALIA




The Double Bead Door range is suitable for use with our Centre Pocket Glazing system. Easy to assemble with a straight cut and mechanical fix at joints. This range is ideal for single or double glazing accommodating 6 to 25mm glass thickness. Compatible with rails & stiles from Open & Closed Pocket systems, doors can be hinged, pivoted or sliding applications

- **Front & Flush Glazing**
- **Beads 4 sides**
- **Suits ASA Centre Glazed Systems**
- **Single or double glazing, 6 – 25mm Glass thickness**
- **Compatible with Rails and Stiles from Open & Closed Pocket Systems**
- **Hinged, pivot or sliding application**
- **Suitable for single and double glazed applications**
- **Straight Cut assembly – mechanical fix at joints**
- **No mitre cutting required**
- **Available in 60mm width as standard**
- **Suits Centre Glazed 101.6mm, Front Glazed 103.6mm & Flush-Front Glazed 100mm systems**
- **Readily available in mill and natural anodised**




# DOUBLE BEADED DOOR SYSTEM


ALUMINIUM  
SUPPLY  
AUSTRALIA




DBD01 Double Bead  
Door Lock Stile




DBD02 Double Bead  
Door Hinge Stile



DBD03 Double Bead Door  
Weather Stile




DBD04 Double Bead  
Door Slider Stile




DBD07 Double Bead Door  
Standard Bead




DBD05 Double Bead  
Door Top Rail



DBD06 Double Bead  
Door Bottom Rail




DBD09 Double Bead Door  
120mm Bottom Rail




DBD13 Double Bead Door  
50mm Mid Rail




DBD08 Double Bead Door  
Double Glazed Bead




DBD12 Double Bead Door  
Tall Bead




DBD201 Double Bead  
100mm Lock Stile



DBD202 Double Bead  
100mm Hinge Stile



DBD203 Double Bead  
100mm Weather Stile



DBD204 Double Bead  
100mm Slider Stile



DBD10 Spiggots for  
DBD05 + DBD06 + DBD13



DBD11 Spiggots  
for DBD 09



SF103 Door Bottom Seal Holder  
37 x 6.5

# BIFOLD DOOR SYSTEM

ALUMINIUM  
SUPPLY  
AUSTRALIA



- **Suitable for Henderson's Hardware**
- **Centre Pocket Glazing system**
- **Straight cut assembly – mechanical fix at joints**
- **No mitre cutting required**
- **Dry or wet glazing**
- **Available in 80mm width as standard**
- **Suits Centre Glazed 101.6mm**
- **Readily available in mill and natural anodised**




# BIFOLD DOOR SYSTEM

ALUMINIUM  
SUPPLY  
AUSTRALIA



SF074 Bifold Door Sill




SF075  
Bifold Door Head/Track




SF076 Bifold Door Head  
Door Stop




SF077 Bifold Door Sill  
Door Stop




SF078 Bifold Door Jamb  
Door Stop



SF106 Bifold Door Stile  
44.4 x 80mm




SF016 Door Top Rail



SF017 Door Bottom Rail



SF018 Door Rail Bead



SF062 C/P Door Spiggot

# AWNING WINDOW SYSTEM

ALUMINIUM  
SUPPLY  
AUSTRALIA




ASA Awning Window System is suitable for use with our Centre Glazed and Flush-Front Glazing Systems.

- **Awning Sash beaded to suit single or double glazing applications**
- **Hook Sash option available**
- **Straight and bevelled awning sash**
- **Suits Centre and Flush-Front Glazed Systems**
- **Single or double glazed application**
- **Sash stop required for use with commercial frames**
- **Readily available in mill and natural anodised**




# AWNING WINDOW SYSTEM


ALUMINIUM  
SUPPLY  
AUSTRALIA




**SF012** Awning Sash  
use SF041 Cnr Stake




**SF032** Bevelled Awning Sash  
use SF071 Cnr Stake



**SF089** Hinged Awning  
Sash Frame  
use SF071 Cnr Stake



**SF090** Hinged Awning  
Sash Hook/Adaptor




**SF013** Awning Sash Bead  
to suit SF012, HDG10




**SF018** Sash Bead  
to suit SF032



**SF061** D/Glazed Awning  
Sash Bead suit SF012, SF089,  
SF082 + HDG10



**SF105** Sash Stop  
24.95 x 49.5  
suits 36mm Sash




**HS026** Awning Sash Stop  
suits 36mm Sash




**SF041** Corner Stake  
(Suit SF012 and SF089)




**SF071** Corner Stake  
(Suit SF032)



**HDG10** D/Glazed Awning Sash  
68 x 22.5  
suits SF013 + SF061



**HDG11** Awning Sash Stop  
suits HDG10 Sash




**HDG12** Corner Stake  
(Suit HDG10)



**SF097** Awning Flyscreen  
Adaptor



**SF098** Door Drip Fin



**Chain Winder Adaptor**  
47.5 x 50.9

## Apartment Door System


Simple, yet attractive, strong and durable, the Mark Anthony Suite will comply with all relevant Australian Standards.

This system is easy to fabricate and assemble, as well as a popular choice of architects and designers alike. Also a popular choice with builders for its ease of use and adaptable configurations.


- **101.60 x 55.00 Standard Double Head and Jamb sizes, as well as 150.00 x 55.00 Triple Head/Jamb**
- **Sliding Door suitable for single glazed application and double glazed with adaptor**
- **Straight Cut Assembly – mechanical fix at joints**
- **No Mitre cutting required**
- **Dry Glazed**
- **Frame compatible with Centre Glazed 101.6mm system**
- **Suits both commercial and residential applications**
- **Standard Stile/Rail width 60mm for single application**
- **Multiple configurations available**
- **Low & High Profile sills**
- **Designed for extra stability and rigidity**
- **Readily available in mill and natural anodised**




## Apartment Door System



MA001 101.6 X 55 Head




MA019 152.4 x 55  
TRIPLE SLIDING  
DOOR HEAD



MA002 101.6 x 40 SILL  
SLOTTED



MA003 152.4 x 40 SILL  
SLOTTED



MA004 101.6 x 30 JAMB



MA005 152.4 x 30 JAMB




MA006 50.4 x 25 ADAPTOR  
CHANNEL



MA007 50.4 x 25 CLIP IN  
ADAPTOR CHANNEL




MA008 101.6 SILL PACKER




MA009 152.4 SILL PACKER



MA010 101.6 HEAD REVEAL  
FIXING BRACKET




MA011 152.4 HEAD REVEAL  
FIXING BRACKET



MA012 101.6 JAMB REVEAL  
FIXING BRACKET



MA013 152.4 JAMB REVEAL  
FIXING BRACKET



MA014 50.4 x 9.7 TREADED  
SILL INFILL



LS018 JAMB THRESHOLD




LS005 APARTMENT DOOR  
RAIL



LS006 APARTMENT DOOR  
STANDARD STILE



LS007 APARTMENT DOOR  
COVER STILE




LS008 APARTMENT DOOR  
H/DUTY STILE

## Apartment Door System



LS009 APARTMENT DOOR  
STD INTERLOCKER



LS010 APARTMENT DOOR  
H/DUTY INTERLOCKER




LS012 APARTMENT DOOR  
GLAZING STILE




LS013 APARTMENT DOOR  
GLAZING STILE BEAD



LS016 APARTMENT DOOR  
D/GLAZED ADAPTOR



LS017 APARTMENT DOOR  
D/GLAZED RAIL



LS024 APARTMENT DOOR  
XOX ADAPTOR



LS026 DOUBLE GLAZED  
BEADED RAIL

ALUMINIUM  
SUPPLY  
AUSTRALIA




# SECURITY DOOR & FLYSCREEN SYSTEMS

ALUMINIUM  
SUPPLY  
AUSTRALIA




Residential security doors and frames, flyscreen frames and other residential profiles to suit a wide range of applications. These are supplied in standard ex-stock colours.

- **70mm Ribbed and Medium (Flat) Security Door Frames to suit fibreglass and rigid screens these can be used with DVA, galvanised or stainless steel mesh**
- **Flyscreen frames in two sizes. These are 25 x 11mm and 22x9mm, to suit standard fibreglass mesh**
- **Receiving Channels 28x24mm and 28x16mm.**
- **Bottom Track and Draft Strips are also available in stock colours**
- **Ex-Stock colours are Anodised Matt Natural, Pearl White, Satin Black, Primrose, Deep Ocean, Paperbark, Stone Beige and White Birch**
- **70mm Ribbed Security Door Frame (RES006) also available in Hammersly Brown, Jasper, Woodland Grey and Pottery**
- **70mm Standard Frame (RES007) also available in Citi Pearl and Notre Dame**




# SECURITY DOOR & FLYSCREEN SYSTEMS


ALUMINIUM  
SUPPLY  
AUSTRALIA



RES006 Ribbed Security  
Door Frame 70mm



RES007 Medium Security  
Door Frame 70mm



RES005 Corner Stake to suit  
RES006 + RES007



RES032 Draft Strip  
15.9 x 6.5




RES013 - Bottom  
Track




RES011 Residential Channel  
28 x 24 mm




RES012 Residential Channel  
28 x 16mm



TM001 Stacker Door Head



TM002 Stacker Door Jamb



TM003 Stacker Door Sill



SFS001 Flyscreen Frame  
22 x 9mm



SFS001 Corner Stake  
( To Suit SFS001 )



SFS008 Flyscreen Frame  
25 x 11mm




SFS009 Corner Stake  
( To Suit SFS008 )



RES008 Flyscreen Sill Section




SF097 Awning Flyscreen  
Adaptor



RES009 Screen Frame W/Leg



RES010 Screen Frame



RES014 Corner Stake  
( To Suit RES009 + RES010 )



SF081 DOOR DRIP FIN  
63 x 38



SF103 DOOR BOTTOM  
SEAL HOLDER 37.5 x 6.5



SFS002 CORNER STAKE  
suits SF001

# LOUVRE & BATTEN PROFILES

ALUMINIUM  
SUPPLY  
AUSTRALIA



Louvre Profiles to suit commercial and residential applications are available in a range of sizes with various fitting applications catered for.

Special finishing, including a wide selection of wood grain and powder coating colour and textures, make your louvre profiles stand out as an architectural feature on any project.

An attractive solution for privacy and protection from the weather or providing shade.

As well as being durable, these louvre profiles give a timeless style to commercial and residential buildings, feature panelling, and fencing.




Batten Profiles are a versatile product when creating a feature wall, ceiling or screen for fencing and privacy.

Using a 50mm Base, a typical assembly as shown:  
Wall Cap, Batten, End Cap and screws.

A contemporary solution suitable for interior or exterior.

The linear textures allow extensive design and creative opportunities, combined with various finishing such as powder coating, wood grain finish and more.



These batten profiles will add an element of difference to your next project.

# LOUVRE & BATTEN PROFILES

ALUMINIUM  
SUPPLY  
AUSTRALIA



## Louvres



PS001 Elliptical Louvre  
55 mm




PS002 Louvre Box Frame




PS003 Louvre Frame Cover



PS004 Elliptical Louvre  
70 mm



SF072 Fixed Commercial  
Louvre



PS005 122 x 87mm Comm  
Louvre



PS006 Rect Louvre  
50 x 10mm



PS007 70 x 32mm 'Z' Louvre



PS008 60 x 20mm  
L-Fixed Louvre



PS011 Elliptical Louvre  
70 mm



PS012  
Fence Picket 65 mm



PS013 Elliptical Louvre  
100 mm




PS025 Elliptical Louvre Wall  
Bracket (use with PS026)



PS026 Elliptical Louvre  
150 mm




PS027 Elliptical Louvre  
200 mm



PS028 Elliptical Louvre  
90 mm



PS029 Elliptical Louvre  
115 mm



PS030 Elliptical Louvre  
300 mm



PS031 BOX LOUVRE  
BULL NOSE



PS032 BOX LOUVRE  
INTERMEDIATE



PS033 BOX LOUVRE  
END



PS034 BOX LOUVRE  
END SNAP


## Battens



PSB01 BATTEN CLIP - END CAP WALL



PSB02 BATTEN 50 x 50 x 2.00




PSB03 BATTEN 100 x 50 x 2.00




PSB04 BATTEN 150 x 50 x 2.00



PSB05 BATTEN 200 x 50 x 2.50



PSB06 BATTEN 250 x 50 x 2.80



PSB07 BATTEN 300 x 50 x 3.00



PSB08 BATTEN FIXING CHANNEL 57 x 53 x 3.00



PSB09 BATTEN FIXING F CHANNEL 92 x 53 x 3.00 FLANGE 35mm

Corner Stake Profile and End Caps available

ALUMINIUM  
SUPPLY  
AUSTRALIA



[aluminiumsupply.com.au](http://aluminiumsupply.com.au)

ASA stock a range of miscellaneous profiles:

■ **CubeLock Display and Shelving System**

A simple and versatile modular system extensively used for display and shelving purposes within many industries


■ **Balustrade Profiles - Villa Suite**

A Balustrade Suite suitable for commercial and residential applications

■ **Split Batten**

■ **Cladding Profiles**

- **Slat Wall**
- **Roller Blind**
- **Rope Track Profiles**
- **Cladding Panel**
- **Scaffold Plank Profiles**
- **Park Seating Profiles**
- **Wall Adaptors**



# MISCELLANEOUS PROFILES


ALUMINIUM  
SUPPLY  
AUSTRALIA



## ROPE TRACK



RT001 9.0mm ROPE TRACK



RES020 RESIDENTIAL  
KEYWAY TUBE 39mm



RES016 ROUND BOTTOM RAIL  
22mm



RES017 OVAL BOTTOM RAIL  
16 x 28



SF094 WINDOW TRACK  
15.7mm x 26.6mm

## SLAT WALL



SW001 SLAT WALL

## SPLIT BATON



RES029 SPLIT BATON  
34.8 X 6.4mm

## CLADDING PANEL



CP001 200mm CLADDING  
PANEL



RES023 H - BAR  
25 x 22.2 PANEL JOINER

## DUTCH HOOD



FM20349 DUTCH HOOD  
29.4 x 16.4 (cnr stakes available)

# MISCELLANEOUS PROFILES

ALUMINIUM  
SUPPLY  
AUSTRALIA



## ROAD SIGN

## SCAFFOLD PLANK

A simple horizontal line with two small black squares at the ends, representing a road sign blade.

RS001 ROAD SIGN  
BLADE 200mm

A horizontal line with a small black square at each end, representing a road sign blade.

RS002 ROAD SIGN  
BLADE 150mm



RS003 ROAD SIGN  
BRACKET 28.5 x 25 x 3mm




RES004 ROAD SIGN BRACKET  
44 x 40mm


A horizontal line with three small black squares at the ends, representing a scaffold plank.

CR004370 SCAFFOLD PLANK

## CUBELOCK



SFS028 CUBELOCK ONE LEG




SFS028 - 2 WAY BOX JOINER



SFS028 3 WAY BOX JOINER



SFS028 3 WAY T BOX JOINER



SSB007 SQUARE BOX PROFILE  
25.4 x 25.4mm x 1.2mm



SFS028 4 WAY BOX JOINER



SFS028 5 WAY BOX JOINER





SFS-28 BOX END CAP

# MISCELLANEOUS PROFILES

ALUMINIUM  
SUPPLY  
AUSTRALIA



## RESIDENTIAL APPLICATIONS




**RES001 ARCHITRAVE**  
90 x 15.2

**RES003 COLONIAL BAR**  
25mm

**RES015 PICKET FENCE**  
75 x 16mm x 1.2mm wall t/ness




**RES022 30 x 15 OVAL TUBE**



**TM001 STACKER DOOR HEAD**  
55 x 25

**TM002 STACKER DOOR JAMB**  
52.5 x 22.5

**TM003 STACKER DOOR SILL**  
57 x 17



**VS001 BALUSTRADE RAIL**  
63.5 x 50mm BASE

**VS002 POST 25 X 25**

**VS004 FLUSH POCKET COVER**

# GEOMETRIC PROFILES

ALUMINIUM  
SUPPLY  
AUSTRALIA




Exceptional range of Geometric angles, channels, flats and hollows.


Stocked products are in mill or clear finish at 6.50 metres, with Flats at 4.00 metres, all profiles are available for bulk extrusion at your specified length.

Our warehouse is stocked with mill finish and clear anodised popular geometric profiles in 6060T5 alloy, available at call.

Cutting services are also available.



## Angles



| Width x Height x Thickness          | Code   |
|-------------------------------------|--------|
| 12 x 12 x 1.6                       | STA019 |
| 12 x 12 x 3.0                       | STA029 |
| 15 x 15 x 1.3                       | STA035 |
| 16 x 16 x 1.6                       | STA045 |
| 16 x 16 x 3.0                       | STA027 |
| 20 x 12 x 1.6                       | STA018 |
| 20 x 12 x 3.0                       | STA081 |
| 20 x 20 x 1.6                       | STA003 |
| 20 x 20 x 3.0                       | STA004 |
| 25 x 12 x 1.6                       | STA005 |
| 25 x 12 x 3.0                       | STA068 |
| 25 x 20 x 1.6                       | STA020 |
| 25 x 20 x 3.0                       | STA057 |
| 25 x 25 x 1.6                       | STA006 |
| 25 x 25 x 3.0                       | STA037 |
| 25 x 25 x 6.0                       | STA094 |
| 32 x 12 x 1.6                       |        |
| 32 x 20 x 1.6                       | STA008 |
| 32 x 20 x 3.0                       | STA046 |
| 32 x 25 x 1.6                       | STA047 |
| 32 x 25 x 3.0                       | STA058 |
| 32 x 32 x 1.6                       | STA033 |
| 32 x 32 x 3.0                       | STA040 |
| 35 x 20 x 1.6                       | STA025 |
| "38.1 x 38.1 x 5.0 Int Rad Cnr 5mm" | STA032 |
| 40 x 12 x 1.6                       | STA021 |
| 40 x 12 x 3.0                       | STA074 |
| 40 x 20 x 1.6                       | STA010 |
| 40 x 20 x 3.0                       | STA048 |
| 40 x 25 x 1.6                       | STA022 |


| Width x Height x Thickness | Code   |
|----------------------------|--------|
| 40 x 25 x 2.7              | STA026 |
| 40 x 25 x 3.0              | STA049 |
| 40 x 40 x 1.6              | STA023 |
| 40 x 40 x 3.0              | STA011 |
| 40 x 40 x 6.0              | STA070 |
| 50 x 12 x 1.6              |        |
| 50 x 12 x 3.0              | STA078 |
| 50 x 20 x 1.6              | STA012 |
| 50 x 20 x 3.0              | STA075 |
| 50 x 25 x 1.6              | STA013 |
| 50 x 25 x 3.0              | STA024 |
| 50 x 40 x 3.0              | STA076 |
| 50 x 50 x 1.6              | STA014 |
| 50 x 50 x 2.0              |        |
| 50 x 50 x 3.0              | STA028 |
| 50 x 50 x 4.0              | STA087 |
| 50 x 50 x 6.0              | STA042 |
| 60 x 20 x 1.6              | STA050 |
| 60 x 25 x 3.0              | STA059 |
| 60 x 40 x 1.6              | STA041 |
| 60 x 40 x 3.0              | STA093 |
| 60 x 40 x 4.0              | STA073 |
| 60 x 60 x 3.0              | STA060 |
| 60 x 60 x 6.0              | STA080 |
| 70 x 20 x 1.6              | STA015 |
| 70 x 25 x 1.6              | STA016 |
| 70 x 40 x 1.6              | STA017 |
| 75 x 25 x 1.6              | STA061 |
| 75 x 25 x 3.0              | STA062 |
| 75 x 35 x 4 Ext Rad 4mm    |        |

# GEOMETRIC PROFILES

ALUMINIUM  
SUPPLY  
AUSTRALIA



## Angles



| Width x Height x Thickness  | Code   |
|---|--------|
| 75 x 75 x 3.0   |        |
| 76 x 76 x 3.0   | STA055 |
| 76.2 x 50.8 x 6.35 Int Rad 6.8mm  | STA086 |
| 76.2 x 76.2 x 3.2   | STA082 |
| 76.2 x 76.2 x 6.35 Int Rad 7.62mm   |        |
| 80 x 20 x 1.6   | STA051 |
| 80 x 20 x 3.0   |        |
| 80 x 40 x 6.0   | STA056 |
| 80 x 50 x 2.5   | STA063 |
| 80 x 50 x 3.0   |        |
| 80 x 50 x 6.0 Int Rad 4mm   | STA079 |
| 80 x 80 x 6.0   | STA052 |
| 90 x 25 x 1.5   |        |
| 90 x 40 x 1.6   | STA034 |
| 100 x 25 x 1.6  | STA053 |
| 100 x 25 x 3.0  | STA038 |
| 100 x 50 x 3.0  | STA064 |
| 100 x 50 x 4.0  | STA039 |
| 100 x 50 x 6.0 Int Rad 4mm  | STA065 |
| 100 x 66 x 6.0 Serrated 40mm Serrated Flat<br>Washer 40x6 - 16mm Hole also available <sup>1</sup> | STA077 |
| 100 x 100 x 2.0   | STA030 |
| 100 x 100 x 3.0   |        |
| 100 x 100 x 6.0   |        |
| 100 x 100 x 8.0   | STA066 |
| 120 x 35 x 10.0   |        |
| 125 x 50 x 3.0  | STA031 |
| 125 x 50 x 5.0  | STA069 |
| 125 x 50 x 6.0 Int Rad 4mm  | STA036 |
| "140 x 140 x 5.0 Ext Rad 8mm Int<br>Rad4mm"   | STA083 |

| Width x Height x Thickness      | Code   |
|---------------------------------|--------|
| 140 x 140 x 5.0 Int Radius 12mm | STA054 |
| 150 x 50 x 3.0                  | STA071 |
| 150 x 75 x 6.0                  |        |
| 200 x 50 x 3.0                  | STA072 |
| 250 x 50 x 3.0 Int Radius 5mm   | STA067 |

# GEOMETRIC PROFILES

ALUMINIUM  
SUPPLY  
AUSTRALIA



## Channels



| Width x Height x Thickness    | Code   |
|-------------------------------|--------|
| 10 x 10 x 1.6                 | STC021 |
| 10 x 12 x 1.6                 | STC031 |
| 12 x 12 x 1.6                 | STC008 |
| 12 x 20 x 2.5                 | STC041 |
| 16 x 16 x 1.6                 | STC001 |
| 16 x 16 x 3.0                 | STC020 |
| 20 x 16 x 1.6                 | STC032 |
| 20 x 20 x 1.6                 | STC009 |
| 20 x 20 x 3.0                 | STC017 |
| 25 x 12 x 3.0                 | STC007 |
| 25 x 20 x 1.6                 | STC022 |
| 25 x 25 x 1.6                 | STC014 |
| 25 x 25 x 3.0                 | STC002 |
| 25 x 40 x 3.0                 | STC003 |
| 28 x 15 x 1.4                 | STC023 |
| 28 x 24 x 1.5                 | RES011 |
| 28 x 16 x 1.6                 | RES012 |
| 29 x 28 x 2.0                 | STC015 |
| 31.5 x 40 x 3.0               |        |
| 32 x 16 x 1.6                 | STC033 |
| 32 x 25 x 3.0                 | STC036 |
| 35 x 25 x 1.50                | STC010 |
| 40 x 20 x 3.0                 | STC040 |
| 40 x 25 x 3.0                 | STC004 |
| 40 x 40 x 3.0                 | STC005 |
| 43.4 x 35 x 3.0               | STC030 |
| 50 x 20 x 1.5 - Ext rad 1.5mm | STC029 |
| 50 x 25 x 3.0                 | STC018 |
| 50 x 50 x 3.0                 | STC016 |
| 54 x 25 x 1.5                 | STC013 |

| Width x Height x Thickness              | Code   |
|---|--------|
| 60 x 20 x 3.0                           | STC024 |
| 60 x 32 x 3.0                           | STC038 |
| 60 x 40 x 6.0                           | STC025 |
| 75 x 32 x 4.0 Int Rad 4mm               |        |
| 80 x 25 x 3.0                           | STC019 |
| 80 x 40 x 3.0                           | STC026 |
| "90 x 130 x 5.0<br>Ext Rad 8mm Int 3mm" | STC028 |
| 100 x 20 x 3.0                          | STC006 |
| 100 x 25 x 3.0                          | STC012 |
| 100 x 40 x 3.0                          | STC011 |
| 100 x 50 x 3.0                          | STC027 |
| 120 x 40 x 3.0                          | STC042 |

# GEOMETRIC PROFILES

ALUMINIUM  
SUPPLY  
AUSTRALIA



## Flats



| Width x Thickness | Code   |
|-------------------|--------|
| 10 x 3.0          | STF038 |
| 12 x 1.6          |        |
| 12 x 3.0          | STF015 |
| 12 x 6.0          | STF058 |
| 16 x 3.0          | STF001 |
| 20 x 1.6          | STF019 |
| 20 x 3.0          | STF002 |
| 20 x 4.0          |        |
| 20 x 6.0          | STF003 |
| 20 x 10.0         | STF013 |
| 25 x 1.6          | STF041 |
| 25 x 3.0          | STF030 |
| 25 x 5.0          | STF021 |
| 25 x 6.0          | STF026 |
| 25 x 10.0         | STF048 |
| 25 x 20.0         | STF020 |
| 27 x 3.0          | STF059 |
| 32 x 5.0          | STF027 |
| 32 x 3.0          | STF005 |
| 35 x 1.6          | STF028 |
| 40 x 3.0          | STF016 |
| 40 x 4.0          | STF056 |
| 40 x 5.0          |        |
| 40 x 6.0          | STF035 |
| 40 x 10.0         | STF049 |
| 40 x 12.0         | STF004 |
| 40 x 16.0         |        |
| 40 x 20.0         |        |
| 40 x 25.0         | STF006 |
| 50 x 1.5          | STF039 |
| 50 x 3.0          | STF010 |
| 50 x 4.0          | STF052 |
| 50 x 6.0          | STF033 |

| Width x Thickness             | Code   |
|-------------------------------|--------|
| 50 x 10.0                     | STF014 |
| 50 x 12.0                     |        |
| 50 x 20.0                     |        |
| 50 x 25.0                     | STF060 |
| 60 x 1.6                      |        |
| 60 x 3.0                      | STF007 |
| 60 x 6.0                      | STF047 |
| 80 x 1.5                      | STF008 |
| 80 x 3.0                      | STF036 |
| 80 x 4.0                      | STF023 |
| 80 x 6.0                      | STF034 |
| 80 x 10.0                     | STF032 |
| 80 x 12.0                     | STF055 |
| 100 x 1.5                     | STF009 |
| 100 x 3.0                     | STF037 |
| 100 x 4.0                     | STF029 |
| 100 x 6.0                     | STF024 |
| 100 x 10.0                    | STF045 |
| 100 x 12.0                    | STF031 |
| 125 x 3.0                     | STF046 |
| 130 x 1.5                     | STF018 |
| 150 x 1.5                     | STF017 |
| 150 x 6.0 Ext Rad 0.5mm       | STF043 |
| 150 x 8.0 (1mm Rad Cnrs)      |        |
| 150 x 10.0                    |        |
| 160 x 4.0                     | STF042 |
| 160 x 6.0                     | STF044 |
| 160 x 10                      | STF053 |
| 160 x 12.0                    | STF054 |
| 200 x 1.60                    | STF050 |
| 200 x 6.0                     | STF040 |
| 200 x 8.0 (1mm Rad Cnrs)      |        |
| 250 x 6.0 Full Radius Corners | STF057 |

## Rectangular Hollows



| Width x Height x Thickness                               | Code   |
|--|--------|
| 22 x 8 x 2.0 Ext Rad 2mm                                 |        |
| 24 x 20 x 1.78   |        |
| 25 x 12 x 1.6  | SRH044 |
| 30 x 20 x 3.0  | SRH017 |
| 40 x 20 x 3.0  | SRH008 |
| 40 x 25 x 2.5  | SRH040 |
| 40 x 25 x 3.0 Ext Rad 3mm Int Rad 1mm                    |        |
| 50 x 10 X 1.2 Ext Rad 1mm                                | SRH037 |
| 50 x 10 x 1.2 - Webbed                                   | SRH020 |
| Rect Slat 50 x 10 x 1.3 w/Screw Flutes"                  | PS006  |
| 50 x 25 x 1.2  | SRH019 |
| 50 x 25 x 1.6  |        |
| 50 x 25 x 1.6 - Webbed                                   | SRH021 |
| 50 x 25 x 2.0  | SRH001 |
| 50 x 25 x 2.5  | SRH012 |
| 50 x 25 x 3.0  |        |
| 50.8 x 11 x 1.3  |        |
| 60 x 35 x 2.0  |        |
| 60 x 40 x 2.0  | SRH015 |
| 60 x 40 x 3.0  | SRH006 |
| 60 x 50 x 3.0  | SRH052 |
| Fence Picket 65 x 15 x 1.6mm w/screw flutes"             | SRH018 |
| "65 x 16 x 1.2 Ext Rad 2mm suit # 8 gauge screw"         | PS012  |
| "65 x 16 x 1.2 Ext Rad 3mm suit # 6 gauge screw"         | PS010  |
| "Fence Picket 65 x 16 x 1.4mm Ext Rad 3mm Int Rad 1.6mm" | SRH043 |
| 75 x 15 x 1.7 - Webbed                                   | SRH022 |
| "75 x 16mm x 1.2mm wall t/ness Picket Fence"             | RES015 |
| 75 x 50 x 1.6 - Webbed                                   | SRH038 |
| 75 x 50 x 1.6  | SRH050 |
| 75 x 50 x 3.0  | SRH030 |
| "75 x 50 x 6.0 Ext Rad 6mm Int Rad 6mm"                  | SRH026 |
| 76 x 42 x 3.0 w/screw flutes (4)                         |        |

| Width x Height x Thickness                | Code   |
|---|--------|
| 76.2 X 25.4 X 2.4                         | SRH045 |
| 80 x 25 x 3.0                             | SRH004 |
| 80 x 40 x 1.6 - Webbed                    | SRH033 |
| 80 x 40 x 3.0                             | SRH005 |
| 80 x 50 x 3.0                             | SRH014 |
| 86 x 35 X 3.0                             | SRH035 |
| 100 x 25 x 1.6                            | SRH027 |
| 100 x 25 x 2.5                            |        |
| 100 x 40 x 3.0                            | SRH016 |
| 100 x 50 x 1.6                            | SRH023 |
| 100 x 50 x 3.0                            | SRH003 |
| 100 x 50 x 4.0                            |        |
| "100 x 50 x 6 Ext Rad 8mm Int Rad 2mm"    | SRH047 |
| 120 x 40 x 3.0                            | SRH036 |
| 125 x 40 x 3.0                            | SRH048 |
| 125 x 50 x 3.0                            | SRH013 |
| 150 x 20 x 3.0 - Webbed                   | SRH011 |
| 150 x 25 x 2.0                            | SRH046 |
| 150 x 50 x 1.8 - Webbed                   | SRH039 |
| 150 x 50 x 3.0                            | SRH002 |
| 200 x 50 x 3.0                            | SRH007 |
| 200 x 75 x 3.0 w/screw flutes (6)         |        |
| "200 x 80 x 4.0 Ext Rad 10mm Int Rad 6mm" | SRH061 |
| 250 x 50 x 3.0                            | SRH024 |
| 250 x 50 x 3.5 Ext Rad 1.5mm              | SRH025 |
| 200 x 100 x 3.50                          |        |
| 210 x 70 x 3.0                            | SRH031 |
| "300 x 50 x 3.0 - Webbed Alloy 6106T6"    | SRH034 |

## Square Hollows



| Width x Height x Thickness                   | Code   |
|--|--------|
| 12.7 x 12.7 x 1.57                           | SSB032 |
| 20 x 20 x 1.6                                | SSB021 |
| 20 x 20 x 2.5                                |        |
| 20 x 20 x 3.0                                | SSB016 |
| 20 x 20 x 3.0 Ext Rad 3mm                    |        |
| 25.4 x 25.4 x 1.2                            | SSB007 |
| 25 x 25 x 3.0                                | SSB009 |
| 25 x 25 x 3.0 Ext Rad 3mm Int Rad 3mm        |        |
| 32 x 32 x 2.0                                | SSB006 |
| 40 x 40 x 1.6                                | SSB011 |
| 40 x 40 x 3.0                                | SSB008 |
| 40 x 40 x 3.0 w/screw flutes (4)             |        |
| 45 x 45 x 2.5                                | SSB025 |
| 50 x 50 x 1.6                                | SSB015 |
| 50 x 50 x 2.5                                | SSB001 |
| 50 x 50 x 3.0                                | SSB010 |
| 50 x 50 x 4.0 Ext Rad Cnr 4mm Int Rad 0.5mm" | SSB019 |
| 50 x 50 x 5.0 Ext Rad 6mm Int Rad 1mm"       |        |

| Width x Height x Thickness                                | Code   |
|---|--------|
| 50.8 x 50.8 x 2.0<br>Ext Rad Cnr 6mm Int Rad 4mm"         | SSB012 |
| 65 x 65 x 2.5   |        |
| 65x 65 x 3 Ext & Int Rad 5mm                              | SSB014 |
| 70 x 70 x 2.0   | SSB002 |
| 75 x 75 x 2.0   | SSB017 |
| 75 x 75 x 3.0 Ext Rad 0.4mm                               | SSB028 |
| 90 x 90 x 2.0 Ext Rad Cnr 3mm                             | SSB027 |
| 98 x 98 x 2.5   | SSB018 |
| 100 x 100 x 2.0   | SSB003 |
| 100 x 100 x 3.0   | SSB004 |
| 101.6 x 101.6 x 6.35<br>Ext Rad 12.7mm nt Rad 6.35mm"     | SSB029 |
| 125 X 125 X 3.0<br>Ext Rad Cnr 1.40mm"                    | SSB023 |
| 125 X 125 X 5.0<br>Ext Rad Cnr 12.50mm Int Rad Cnr 7.5mm" | SSB022 |
| 150 X 150 X 3.0<br>Ext Rad Cnr 3mm Int Rad Cnr 1.6mm"     | SSB024 |

# GEOMETRIC PROFILES

ALUMINIUM  
SUPPLY  
AUSTRALIA



## Round Hollows



| Diameter x Thickness         | Code   |
|------------------------------|--------|
| 6.35 x 0.91                  | STR027 |
| 10 x 1.2                     | STR001 |
| 12.7 x 1.42 Telescopic Tube  | STR033 |
| 15.8 x 1.42 Telescopic Tube  | STR034 |
| 16 x 1.6                     | STR005 |
| 19 x 1.2                     | STR028 |
| 19 x 1.6                     | STR017 |
| 20 x 1.2                     | STR002 |
| 20 x 1.6                     | STR012 |
| 25 x 1.0                     | STR008 |
| 25 x 1.2                     | STR006 |
| 25 x 1.6                     | STR003 |
| 25 x 3.0                     | STR010 |
| 32 x 1.6                     | STR030 |
| 32 X 3.0                     | STR039 |
| 38 x 3.0                     | STR018 |
| 38.1 x 3.25                  | STR029 |
| 38 x 2.0                     | STR020 |
| 40 x 2.0                     | STR014 |
| 40 x 3.0                     | STR016 |
| 48.41 x 4.47 6061T6 Scaffold | STR013 |
| 50 x 2.0                     | STR022 |
| 50 x 3.0                     | STR009 |

| Diameter x Thickness | Code   |
|----------------------|--------|
| 50 x 4.0             | STR035 |
| 50 x 5.0             | STR040 |
| 56 x 2.0             | STR007 |
| 60 x 2.0             | STR019 |
| 60 x 3.0             | STR036 |
| 60 x 5.0             | STR023 |
| 63.5 x 3.95          | STR021 |
| 63.5 x 6.35          | STR037 |
| 76.19 x 3.25         | STR041 |
| 76.2 x 2.6           | STR025 |
| 76.2 x 4.7           | STR024 |
| 88.9 x 6.35          | STR042 |
| 100 x 2.0            | STR044 |
| 100 X 3.0            |        |
| 101.6 X 3.20         |        |
| 101.6 x 6.4          | STR043 |
| 114 x 6.35           |        |
| 127 x 2.80           | STR038 |
| 127 x 3.0            | STR004 |
| 150 x 3.0            | STR045 |
| 152.4 x 3.25         | STR032 |

## FLUTED TUBE

| Diameter x Thickness | Code   |
|----------------------|--------|
| 29 x 1.5 Fluted Tube | STRF01 |
| 21 x 1.2 Fluted Tube | STRF02 |
| 25 x 1.5 Fluted Tube | STRF03 |



## ROUND SOLID

| Diameter x Thickness | Code   |
|----------------------|--------|
| 10mm Diameter        | SRB004 |
| 12mm Diameter        | SRB003 |
| 16mm Diameter        | SRB002 |
| 18mm Diameter        | SRB001 |
| 20mm Diameter        |        |




## SQUARE SOLID

| Diameter x Thickness | Code   |
|----------------------|--------|
| 10 x 10              | SQB001 |
| 12 x 12              |        |
| 16 x 16              |        |
| 20 x 20              |        |
| 25 x 25              |        |
| 40 x 40              | SQB002 |
| 50 x 50              |        |
| 65 x 65              |        |



## 'T' SECTIONS

| Width (A) x Height (B) x Thickness (C) | Code   |
|--|--------|
| 20 x 20 x 1.6                          | STT001 |
| 20 x 20 x 3.0                          | STT006 |
| 25 x 25 x 1.6                          | STT003 |
| 25 x 25 x 3.0                          | STT005 |
| 35 x 120 x 3.0                         |        |
| 40 x 20 x 1.6                          |        |
| 40 x 40 x 1.6                          | STT007 |
| 40 x 40 x 3.0                          | STT002 |
| 50 x 25 x 1.6                          |        |
| 50 x 50 x 3.0                          | STT004 |



# Contact us today

## Aluminium Supply Australia Pty Ltd

**ABN 68 100 105 422**

**APRIL 2025**

**189 - 195 Ordish Road, Dandenong South Vic 3175**

**Phone: 03 9768 3222**

**info@aluminiumsupply.com.au**

### Copyright

This Copyright notice applies to all text and images (as defined under the Copyright Act 1968) published within by Aluminium Supply Australia Pty Ltd and ASA Architectural Pty Ltd excluding any third party content which remains the property of their respective owners.

### Intellectual Property

Unless otherwise noted, all product names and logos used within are the trademarks and/or service marks of Aluminium Supply Australia Pty Ltd. All other unregistered trademarks are the property of their respective owners. All other intellectual property rights of Aluminium Supply Australia Pty Ltd in respect of any material contained within are expressly reserved. With the exception of those rights set out below, nothing contained herein may be construed as granting you or any third party any license or right to use any intellectual property contained within without the permission of Aluminium Supply Australia Pty Ltd.

### Limitation of Liability

Whilst every care has been taken in ensuring the accuracy of the information provided herein, Aluminium Supply Australia Pty Ltd reserve the right to amend any pricing as per our Terms & Conditions of Trade. A copy of these Terms & Conditions of Trade is available upon request, please contact our office.

To the extent allowable by law, Aluminium Supply Australia Pty Ltd expressly excludes and disclaims all liability, loss, damage, however so arising, in relation to the reliance or use of any information contained herein. Under no circumstances will Aluminium Supply Australia Pty Ltd, or any other party involved in creating, producing, maintaining or delivering this catalogue, or any of their affiliates, or the officers, directors, employees, shareholders, or agents of each of them, be liable for any damages of any kind, including and without limitation any direct, special, incidental, indirect, or consequential damages arising out of or in connection with the use of or your viewing of the contents of this catalogue.

### Terms & Conditions

This catalogue is intended to be considered in conjunction with Aluminium Supply Australia Pty Ltd Terms & Conditions of Trade. A copy of these Terms & Conditions of Trade is available on our website [www.aluminiumsupply.com.au](http://www.aluminiumsupply.com.au) E & OE. All prices shown are subject availability. All prices are excluding GST, please add 10%.